

HEAD PROTECTION

# MILENIUM CLASS HARD HAT



 **Libus**



WATCH VIDEO 

+ + +

# ULTIMATE PROTECTION AND FLEXIBILITY

Designed to **protect the head from impacts of falling objects**, this polyethylene hard hat features a modular design that allows to add facial, hearing, eye, and welding protection products.

# VISIBILITY AND SAFETY

Its 3.5 cm front visor provides you with clear and secure vision, maintaining all safety features. **Choose versatility and quality with our modern design hard hat!**


*\* Model suitable for visor in the following countries: Brazil, Chile, Colombia, Peru, and Mexico.*



Dielectric properties



Made of polyethylene



Comfortable design



Falling objects



# PERFECT FIT

The **Milenium Class** hard hat has been designed with an adjustment system that allows it to fit perfectly to the user's head, ensuring greater comfort during use. Additionally, it features a wide variety of compatible suspensions to meet different needs.

**MILENIUM CLASS LINE**

# MILENIUM CLASS HARD HAT

+ + + + +  
+ + + + +

DESIGNED TO PROTECT THE HEAD FROM IMPACTS OF FALLING OBJECTS.



+ + +

## FEATURES


- ✓ Modular design allows for the attachment of facial, hearing, eye, and welding protection products.
- ✓ Made of polyethylene, it stands out for its modern design and excellent finish.
- ✓ Rear buckle for 3-point chin strap attachment.
- ✓ 3.5 cm front visor provides optimal upper vision while maintaining safety features.
- ✓ Available suspensions with 6 or 8 anchor points; made of polyethylene.



COMPATIBLE SLOTS WITH LIBUS ACCESSORIES



8 ANCHOR POINTS FOR DIFFERENT TYPES OF LIBUS SUSPENSIONS



ADAPTABLE WITH OTHER PPE TO CUSTOMIZE PROTECTION

+ + +

## TECHNICAL DATA

### ACCESSORIES AND REPLACEMENTS



Facial and hearing adapters



Chin straps



Reflectives

**902493** Facial/Hearing Adapter L-300 [M] MILENIUM**902495** Facial/Hearing Adapter L-300 [U] UNIVERSAL**901384** Universal Facial Adapter ABS**904060** Facial/Hearing Adapter L-400 [M] MILENIUM**904061** Facial/Hearing Adapter L-400 [U] UNIVERSAL**902003** LIBUS 15 mm Chin Strap with Logo (Hook C)**901841** Simple Chin Strap**904123** LIBUS 4P 15 mm Neck Strap**902528** Reflective Kit for MILENIUM Hard Hat

### WARNINGS

- THIS HARD HAT DOES NOT PROVIDE UNLIMITED PROTECTION.
- DO NOT modify shell or suspension / DO NOT replace parts with those from another manufacturer.
- Adjust the suspension so that it fits comfortably but firmly on your head.
- Avoid contact with electrical conductors.
- Inspect shell and suspension regularly and replace at the first sign of wear.
- Do not store objects between the shell and suspension.
- Do not store it exposed to sunlight when not in use. Prolonged exposure to sunlight may degrade it.
- Do not paint. Do not apply adhesives. These chemicals may weaken the shell.
- Do not wear backwards unless the suspension is reversible.
- Wash only with water and mild soap. Do not use solvents such as aromatic hydrocarbons or ketones. These solvents could impair the hard hat's ability to function properly, potentially causing serious injury or death.

### LIMITATION OF LIABILITY

Except as said previously in this instructions, LIBUS will not take responsibility for any loss or direct, indirect, incidental, special or consequential damage, resulting from sale, use or misuse of the product, or user's inability to use it.

REMEDIES STATED HERE ARE EXCLUSIVE.

## ASSEMBLY AND FITTING INSTRUCTIONS

### INSTALLING THE SUSPENSION.

1. Set hard hat shell upside down on its crown. (Fig.1)
2. Line up suspension so that sweatband is at front next to brim. (Fig.2)
3. Push each clip into its slot and press firmly with the thumbs placed at the top of the clip until the tab it's snapped into place. (Fig.3)

### ADJUSTING THE RATCHET SUSPENSION


4. Turn the knob counter-clockwise to open the headband to its maximum size. Place the hard hat on your head and push down on its top until the headband and shell are at a

comfortable height. (Fig.4)


5. Tighten the headband by turning the knob clockwise. DO NOT OVER-TIGHTEN. (Fig.5)

### ADJUSTING THE PIN-LOCK SUSPENSION

6. Insert nape strap through plastic buckles. (Fig. 6)
7. Press the pins into holes according your head size and wear the hard hat to test the sizing. (Fig. 7)
8. If too tight to be comfortable, remove hard hat and change nape strap pins for a larger size. If the headband is too loose to maintain the hard hat stable on head, remove it and adjust for smaller size. (Fig. 8)



## HARD HAT ACCESSORIES



## CERTIFICATIONS

IRAM 3620 · ANSI/SEA Z89.1




To view detailed information about the codes certified under various international standards, scan the QR code and download the corresponding documentation or visit [libus.us](http://libus.us).


## SPECIFICATIONS

### HEAD PROTECTOR CLASS E

- NOM-115-STPS-2009
- IRAM 3620 Type 1 Class B
- NBR 8221:2003 Type II Class B
- ANSI/ISEA Z89.1 Type I Class E
- Chilean Standard NCh 461:1977

## AVAILABLE COLOURS





**DISCOVER ALL  
OUR CATEGORIES**



**HEAD  
PROTECTION**



**HEARING  
PROTECTION**



**FACE  
PROTECTION**



**GAS  
DETECTORS**



**EYE  
PROTECTION**



**WELDING  
HELMETS**



**RESPIRATORY  
PROTECTION**



**SCBA**



+++ [libus.us](http://libus.us) +++

